




LAODIKEIA

Door

KAPI - KAPAK - BANYO

LAODIKEIA

Door



Doğru tercih,
Doğru kalite.

The background of the image is a close-up of a wooden surface, possibly a table or floor, with a light brown and greyish tone. It is covered with numerous water droplets of various sizes, some of which are in focus, creating a textured and somewhat abstract pattern. The droplets are scattered across the entire frame, adding a sense of freshness or moisture to the scene.

Premium --- series





ÖZEL ÜRETİM



ÇEVRE DOSTU





FİTİL

YÖNSÜZ
MENTEŞESESSİZ
KİLİT

LAODIKEIA

premium series Door



401

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
Boy/Height: min 1900 mm - max 2045mm
Kalınlık/Thickness: 42 mm

Nitelik / Features

10mm lake boyalı panel / 10mm lacquered panel

Kasa Ölçüleri (mm) / Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

402

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm
Oval Pervaz / Oval Casing: 80x18x2200mm
DP10 Pervaz / DP10 Casing: 88x18x2200mm



ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL



YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT

LAODIKEIA

premium series Door



RAL 1003	RAL 1015	RAL 1019	RAL 2009	RAL 3000	RAL 5014	RAL 6021	RAL 7015
RAL 7032	RAL 7037	RAL 8024	RAL 9004	RAL 9002	BEYAZ	RAL 7001	RAL 9010

ZAGREB

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 1900 mm - max 2045mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

12mm lake boyalı panel / 12mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

BÜKREŞ

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm

The background of the image is a close-up of a wooden surface, possibly a table or floor, with a light brown and greyish-blue color palette. The wood grain is visible, running horizontally. Numerous water droplets of various sizes are scattered across the surface, some reflecting light and creating highlights. The overall texture is wet and organic.

Elit

series





ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL

YÖNSÜZ
MENTEŞESESSİZ
KİLİT

LAODIKEIA

elit series Door



101

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
Boy/Height: min 1900 mm - max 2045mm
Kalınlık/Thickness: 42 mm

Nitelik / Features

10mm lake boyalı panel / 10mm lacquered panel

Kasa Ölçüleri (mm) / Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

102

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm
Oval Pervaz / Oval Casing: 80x18x2200mm
DP10 Pervaz / DP10 Casing: 88x18x2200mm



ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL

YÖNSÜZ
MENTEŞESESSİZ
KİLİT

LAODIKEIA

elit series Door



301

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 1900 mm - max 2045mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

10mm lake boyalı panel / 10mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

302

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL

YÖNSÜZ
MENTEŞESESSİZ
KİLİT

LAODIKEIA

elit series Door



RAL 1003



RAL 1015



RAL 1019



RAL 2009



RAL 3000



RAL 5014



RAL 6021



RAL 7015



RAL 7032



RAL 7037



RAL 8024



RAL 9004



RAL 9002



BEYAZ



RAL 7001



RAL 9010

201

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 1900 mm - max 2045mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

10mm lake boyalı panel / 10mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

202

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



ÖZEL ÜRETİM



ÇEVRE DOSTU




FİTİL

YÖNSÜZ
MENTEŞESESSİZ
KİLİT

303

HAVAI

LAODIKEIA
elit series Door

RAL 1003



RAL 1015



RAL 1019



RAL 2009



RAL 3000



RAL 5014



RAL 6021



RAL 7015



RAL 7032



RAL 7037



RAL 8024



RAL 9004



RAL 9002



BEYAZ



RAL 7001



RAL 9010

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 1900 mm - max 2045mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

10mm lake boyalı panel / 10mm lacquered panel

Kasa Ölçüleri (mm) /**Frame Measurements (mm)**

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6mm lake boyalı panel / 6mm lacquered panel

Kasa Ölçüleri (mm) /**Frame Measurements (mm)**

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm

www.laodikeiador.com



ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL





YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT

LAODIKEIA

elit series Door



RAL 1003	RAL 1015	RAL 1019	RAL 2009	RAL 3000	RAL 5014	RAL 6021	RAL 7015
RAL 7032	RAL 7037	RAL 8024	RAL 9004	RAL 9002	BEYAZ	RAL 7001	RAL 9010

KIEV

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
Boy/Height: min 1900 mm - max 2045mm
Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) / Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

VIYANA

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm
Oval Pervaz / Oval Casing: 80x18x2200mm
DP10 Pervaz / DP10 Casing: 88x18x2200mm

Doğru tercih,
Doğru kalite.

The background of the image is a close-up of a wooden surface, possibly a table or floor, covered with numerous water droplets of various sizes. The wood grain is visible, and the droplets are scattered across the entire surface, creating a textured and somewhat abstract pattern. The lighting is soft, highlighting the wet surface.

Standart

series





ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL




YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT

LAODIKEIA

standard series Door



RAL 1003	RAL 1015	RAL 1019	RAL 2009	RAL 3000	RAL 5014	RAL 6021	RAL 7015
RAL 7032	RAL 7037	RAL 8024	RAL 9004	RAL 9002	BEYAZ	RAL 7001	RAL 9010

ELEGANT

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
Boy/Height: min 1900 mm - max 2045mm
Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) / Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

ELEGANT Camlı


Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm
Oval Pervaz / Oval Casing: 80x18x2200mm
DP10 Pervaz / DP10 Casing: 88x18x2200mm



LAODIKEIA

standard series Door



ART

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
Boy/Height: min 1900 mm - max 2045mm
Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) / Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

ART Camlı

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm
Oval Pervaz / Oval Casing: 80x18x2200mm
DP10 Pervaz / DP10 Casing: 88x18x2200mm



ÖZEL ÜRETİM



ÇEVRE DOSTU




FİTİL

YÖNSÜZ
MENTEŞESESSİZ
KİLİT

LAODIKEIA

standard series Door



ASENA

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
 Boy/Height: min 1900 mm - max 2045mm
 Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) / Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

ASENA Camlı

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm
 Oval Pervaz / Oval Casing: 80x18x2200mm
 DP10 Pervaz / DP10 Casing: 88x18x2200mm



ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL




YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT

LAODIKEIA

standard series Door



ELİF

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
Boy/Height: min 1900 mm - max 2045mm
Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) / Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

ELİF Camlı

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm
Oval Pervaz / Oval Casing: 80x18x2200mm
DP10 Pervaz / DP10 Casing: 88x18x2200mm



ÖZEL ÜRETİM



ÇEVRE DOSTU




FİTİL

YÖNSÜZ
MENTEŞESESSİZ
KİLİT

LAODIKEIA

standard series Door



RAL 1003	RAL 1015	RAL 1019	RAL 2009	RAL 3000	RAL 5014	RAL 6021	RAL 7015
RAL 7032	RAL 7037	RAL 8024	RAL 9004	RAL 9002	BEYAZ	RAL 7001	RAL 9010

ELİPS

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
 Boy/Height: min 1900 mm - max 2045mm
 Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) / Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

ELİPS Camlı

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm
 Oval Pervaz / Oval Casing: 80x18x2200mm
 DP10 Pervaz / DP10 Casing: 88x18x2200mm



ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL



YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT

LAODIKEIA

standard series Door



RAL 1003	RAL 1015	RAL 1019	RAL 2009	RAL 3000	RAL 5014	RAL 6021	RAL 7015
RAL 7032	RAL 7037	RAL 8024	RAL 9004	RAL 9002	BEYAZ	RAL 7001	RAL 9010

KOZA

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 1900 mm - max 2045mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

KOZA Camlı

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm


Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



LAODIKEIA

standard series Door



SELİN B

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
Boy/Height: min 1900 mm - max 2045mm
Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) / Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

SELİN B Camlı

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm
Oval Pervaz / Oval Casing: 80x18x2200mm
DP10 Pervaz / DP10 Casing: 88x18x2200mm



ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL




YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT

LAODIKEIA

standard series Door



RAL 1003	RAL 1015	RAL 1019	RAL 2009	RAL 3000	RAL 5014	RAL 6021	RAL 7015
RAL 7032	RAL 7037	RAL 8024	RAL 9004	RAL 9002	BEYAZ	RAL 7001	RAL 9010

YAY

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 1900 mm - max 2045mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

YAY Camlı

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



ÖZEL ÜRETİM



ÇEVRE DOSTU




FİTİL

YÖNSÜZ
MENTEŞESESSİZ
KİLİT

LAODIKEIA

standard series Door



RAL 1003	RAL 1015	RAL 1019	RAL 2009	RAL 3000	RAL 5014	RAL 6021	RAL 7015
RAL 7032	RAL 7037	RAL 8024	RAL 9004	RAL 9002	BEYAZ	RAL 7001	RAL 9010

ZETA

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
Boy/Height: min 1900 mm - max 2045mm
Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) / Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

ZETA Camlı


Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm
Oval Pervaz / Oval Casing: 80x18x2200mm
DP10 Pervaz / DP10 Casing: 88x18x2200mm



LAODIKEIA

standard series Door



OSLO

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
Boy/Height: min 1900 mm - max 2045mm
Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) / Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

DUBLİN

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm
Oval Pervaz / Oval Casing: 80x18x2200mm
DP10 Pervaz / DP10 Casing: 88x18x2200mm



ÖZEL ÜRETİM



ÇEVRE DOSTU





FİTİL

YÖNSÜZ
MENTEŞESESSİZ
KİLİT

LAODIKEIA

standard series Door



RAL 1003	RAL 1015	RAL 1019	RAL 2009	RAL 3000	RAL 5014	RAL 6021	RAL 7015
RAL 7032	RAL 7037	RAL 8024	RAL 9004	RAL 9002	BEYAZ	RAL 7001	RAL 9010

ASİMETRİ

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 1900 mm - max 2045mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

ASTANA

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL





YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT

LAODIKEIA

standard series Door



DAKKA

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 1900 mm - max 2045mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

MOSKOVA

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



ÖZEL ÜRETİM



ÇEVRE DOSTU





FİTİL

YÖNSÜZ
MENTEŞESESSİZ
KİLİT

LAODIKEIA

standard series Door



RAL 1003



RAL 1015



RAL 1019



RAL 2009



RAL 3000



RAL 5014



RAL 6021



RAL 7015



RAL 7032



RAL 7037



RAL 8024



RAL 9004



RAL 9002



BEYAZ



RAL 7001



RAL 9010

ESİN

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 1900 mm - max 2045mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

HARMONY

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



ÖZEL ÜRETİM



ÇEVRE DOSTU




FİTİL

YÖNSÜZ
MENTEŞESESSİZ
KİLİT

LAODIKEIA

standard series Door



RAL 1003	RAL 1015	RAL 1019	RAL 2009	RAL 3000	RAL 5014	RAL 6021	RAL 7015
RAL 7032	RAL 7037	RAL 8024	RAL 9004	RAL 9002	BEYAZ	RAL 7001	RAL 9010

BEYRUT

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 1900 mm - max 2045mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

601

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



ÖZEL ÜRETİM



ÇEVRE DOSTU





FİTİL

YÖNSÜZ
MENTEŞESESSİZ
KİLİT

LAODIKEIA

standard series Door



RAL 1003



RAL 1015



RAL 1019



RAL 2009



RAL 3000



RAL 5014



RAL 6021



RAL 7015



RAL 7032



RAL 7037



RAL 8024



RAL 9004



RAL 9002



BEYAZ



RAL 7001



RAL 9010

PRAG

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 1900 mm - max 2045mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

ZİGANA

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL

YÖNSÜZ
MENTEŞESESSİZ
KİLİT

LAODIKEIA

standard series Door



602

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 1900 mm - max 2045mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

603

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



ÖZEL ÜRETİM



ÇEVRE DOSTU





FİTİL

YÖNSÜZ
MENTEŞESESSİZ
KİLİT

LAODIKEIA

standard series Door



TOKYO

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
 Boy/Height: min 1900 mm - max 2045mm
 Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) / Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

MILANO

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm
 Oval Pervaz / Oval Casing: 80x18x2200mm
 DP10 Pervaz / DP10 Casing: 88x18x2200mm



ÖZEL ÜRETİM



ÇEVRE DOSTU




FİTİL

YÖNSÜZ
MENTEŞESESSİZ
KİLİT

LAODIKEIA

standard series Door



DENVER

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 1900 mm - max 2045mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

KOPENHAG

Pervaz Seçenekleri / Casing Options


Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm


DP10 Pervaz / DP10 Casing: 88x18x2200mm

KAPI CAM ALTERNATİFLERİ


G11




G21




G31




G18




G24




G34




G112



G26



G36




LAKE SÜPÜRGELİKLER

ÜRÜN	ÜRÜN KODU	ÜRÜN KODU	AÇIKLAMA
		SP 9	9 mm x 85 mm x 2800 ölçülerindedir. Boy olarak fiyatlandırılır.
		SP 12	12 mm x 85 mm x 2800 ölçülerindedir. Boy olarak fiyatlandırılır.
		SP 18	18 mm x 85 mm x 2800 ölçülerindedir. Boy olarak fiyatlandırılır.
		KS 10	18 mm x 134 mm x 2800 ölçülerindedir. Geçme aparatı hariçtir. Boy olarak fiyatlandırılır.

LAODIKEIA

Door





LAODIKEIA Door

KAPI - KAPAK - BANYO

laodikeiadoor



0 533 037 79 90



Adalet Mh. Alparslan Cad. No: 3/14
Merkezefendi / DENİZLİ



www.laodikeiadoor.com



info@laodikeiadoor.com